

Kitchen Doors and Panels QUOTE / ORDER FORM

80 Redfern Street, Wetherill Park (Showroom and Factory)

T· (02) 9725 4444 F· (02) 9725 4777 F· sales@sydneydoors.com.au

ų i	
INV	
PO	

 \cap T

Man		1: (02) 972	25 4444 F: (02) 97:	25 4 <i>1 i</i>	/ / E: Sa	ales@s	sydneyd	loors.c	om.au		FU		
Custo	mer Info	rmation							De	tails		Date:	
Name:										This is a	a Quote		
Phone/	Mobile:									This is a	an Order	Order No:	
Email:										Extra to	Previou	is Order	
Delivery	/ Address:								-		elivery ((enter valid address, no PO Box) (Send to Painter)	
	er Address to Painter"										rickup	citici valia address, no i o boxy (ocita to i alinei)	
	rial Infori		[, !	<u>Paint</u>			Custom	Paint -	Custom Brand	
Thickne		18mm ((Standard) or other		_	J F	Paint Co	lour:	=	Standar		Custom Colour	
Design:		Enter Door D	or → □	Plain	Doors		\vdash			Jnpainte Stan		al for professional spray painting)	
Edges o	on Doors:	3mm Pe	encil Edge							Single-sided (ideal for DIY hand-painting)			
		Arris Colonial	Other Edge Type:			7 F	Paint Fi					Semi Gloss 60% Popular) Gloss 100%	
				(0	ntions if v	nu using	own hinge	25)					
<u>Hinge</u>	<u>s</u>		oft Closing Hinges	P [Single	e 35mm	n Hole	30,				nges, enter the measurements tom of the door to the centre of	
		_	andard Hinges n Hinges ————		_		Pattern le Patter	n				s more for larger doors) below	
								Otv of	doors	Hinge	e Hole		
Qty	Height	Width	Design P - Door (Plain)		Door E			drilled fo	or hinges	Posi	tions	Notes / Comments	
	^		X - Door (w/ Design) PP - Panel (Plain)	^	as applicabl Left, Right, 1	Top and Bot	tom Edges	Lookin	g at the		e in mm	Note: Panels with "D" double front edges	
			PX - Panel (w/ Désign) DF - Drawer Fronts P1 - Pantry - P1		Position of " Shark nose I		,"	front of	the door	ı	op and om of	require painting on the back. Write: either "full painted back" or "100mm painted on	
		 	P2 - Pantry - P2 CD - Corner Door		PANEL Square 6		<u>Y:</u>	l	e hinges e back	doors.	Extra's	back" here. Enter extra hinge hole	
			BF - Bifold Door FR - Frame (Oven/Mwave) GF - Glass Frame	1	Double f	_	ges			in "Com	nments"	positions here.	
	mm	mm	GB#- Glazing Bar BAR- Bar Front	Left	Right	Тор	Bottom	Qty Left Hinged	Qty Right Hinged	Тор	Bottom	Extra comments can be added at the end of page 3	
			KB - Kick Board					ımıgou		(mm)	(mm)	of page 3	
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
								L	R				
		1	1]		Operator	1	Time			Date		
Office Use Only				Offic Only	e Use								

Qty	Height	Width	Design		Door E	dges		Qty of drilled for	doors or hinges	Hinge Posi	Hole tions	Notes / Comments
		\longleftrightarrow	P - Door (Plain) X - Door (w/ Design) PP - Panel (Plain) PX - Panel (W/ Design) DF - Drawer Front P1 - Pantry - P1 P2 - Pantry - P2 CD - Corner Door BF - Biffold Door FR - Frame (Oven/Microwave)	F - SN - S	as applicabl Left, Right, 1 Position of " Shark nose I PANEL Square 6 Double f	op and Bot Full handle handle SONL edges	tom Edges " Y:	Looking at the front of the door with the hinges at the back Distance in m from top and bottom of doors. Extra's in "Comments"		op and m of Extra's	Note: Panels with "D" double front edges require painting on the back. Write: either "full painted back" or "100mm painted or back" here. Enter extra hinge hole positions here.	
	mm	mm	GF - Glass Frame GB#- Glazing Bar BAR- Bar Front KB - Kick Board	Left	Right	Тор	Bottom	Qty Left Hinged	Qty Right Hinged	Top (mm)	Bottom (mm)	Extra comments can be added at the end of page 3
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								L	R			
								<u> </u>	R			
								L	R			
								L	R			

AL						L	R		
АМ						L	R		
	Additional	I Instructions							
L									

Page 3: NON STANDARD DOOR AND PANEL DETAILS

Click the appropriate box to make your selection: (NOTE: illustration not drawn to scale)

Pantry Doors		industry standard will be applied on the job if customer does not specify the details
☐ P1 = 1 (one) pattern	End Pantry	Note:
☐ P2 = 2 (two) patterns (standard *)	Panel Door	Bottom rail size will be added to kickboard height.
☐ if P2: Single mid rail height (standa	rd *)	If you want the bottom pattern on your pantry door
if P2: Double mid rail height between	´ ~ ~ ~	to match other doors,enter height of doors to of match
II I 2. Double mid fail neight between	other of to mate	oors
Pantry door kickboard height.		Height of other doors to match bottom pattern
		bottom pattern
End Panels ☐ Plain ☐ To match of	door design → ☐ P1 or ☐ P2	
End Panels kickboard height	Height of other panels to	match bottom pattern
(if end panels have patterns)	1 -	end panels to match other doors)
Corner & Bifold Doors (CD / BF)	Drawer Front (DF)	
Corner Door:		ed as a door" or "Individual drawer fronts" next to any ght of the drawers, including a 3mm gap between each, is
This door is the first door of a bi fold pair of doors. It is the door	the same as adjoining doors .	FULL / HALF RAIL FULL RAIL
Hinged Left which is hinged to the cupboard	1. Routed as a door 2. Inc	dividual Drawer Fronts
Corner and it requires corner door hinges.		iter sizes of each drawer
Bi-fold Door:	the table on page 1 or	ont in the table on page 1 2 and nominate full or
This is the second door of a Bi-fold bi-fold pair of doors, which is		If rail sizes between each awer in the comments
connected to the corner door.		ction.
It requires bi fold hinges.		
Bar Front Panels	★ industry standard will be applied	ed on the job if customer does not specify the details
☐ Single Mid-rail between patterns * ☐ Double	e Mid-rail between patterns	
		Number of patterns on Bar Front (if bar panels have patterns)
		(ii bai paneis nave patterns)
	Kickboard heig	ht Kickboard height
	Kickboard heig	Kickboard height
Glass Frames (FR) or Glazing Bars (Gl		
Glass Frames (FR) or Glazing Bars (Gl	B#) Frames (FR) - (Oven o	r Microwave)
	B#) Frames (FR) - (Oven o	
Please Fit:	B#) Frames (FR) - (Oven o	Outside Height (mm) (2) Outside (4) Bottom Rail
Please Fit: No Glass	B#) Frames (FR) - (Oven o	Outside Height (mm) (1) Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm)
Please Fit: No Glass Clear Glass	B#) Frames (FR) - (Oven o	Outside Height (mm) (2) Outside (4) Bottom Rail
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Super Wh	B#) Frames (FR) - (Oven of the control of the contr	Outside Height (mm) (2) Outside Width (mm) (3) Top Rail Height (mm) Height (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail
Please Fit: No Glass Clear Glast Opaque White	B#) Frames (FR) - (Oven of the control of the contr	Outside Height (mm) (1) Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) Height (mm) (5) Left Rail Width (mm)
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Custom GB routed windows	B#) Frames (FR) - (Oven of the control of the contr	Outside Height (mm) (2) Outside Width (mm) (3) Top Rail Height (mm) Height (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm)
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Kickboards (KB) Painted to match de	B#) Frames (FR) - (Oven of the context of the conte	Outside Height (mm) (2) Outside Width (mm) (3) Top Rail Height (mm) Height (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Kickboards (KB) Painted to match do Brushed Aluminium	B#) Frames (FR) - (Oven of the context of the conte	Outside Height (mm) (2) Outside Width (mm) (3) Top Rail Height (mm) Height (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm)
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Kickboards (KB) Painted to match de	B#) Frames (FR) - (Oven of the context of the conte	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Kickboards (KB) Painted to match do Brushed Aluminium Capping Mould	B#) Frames (FR) - (Oven of the context of the conte	Outside Height (mm) (2) Outside Width (mm) (3) Top Rail Height (mm) Height (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm)
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Kickboards (KB) Painted to match do Brushed Aluminium Capping Mould Bullnose (3600mm)	B#) Frames (FR) - (Oven of the content of the conte	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Kickboards (KB) Painted to match do Brushed Aluminium Capping Mould	B#) Frames (FR) - (Oven of the context of the conte	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Kickboards (KB) Painted to match do Brushed Aluminium Capping Mould Bullnose (3600mm)	B#) Frames (FR) - (Oven of the content of the conte	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Super Wh (Vinyl Backer routed windows GB Painted to match do Brushed Aluminium Capping Mould Bullnose (3600mm) Heritage (3600mm) Colonial (3600mm) Co	B#) Frames (FR) - (Oven of the content of the conte	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Custom GB enter qty of routed windows Kickboards (KB) Painted to match do Brushed Aluminium Capping Mould Bullnose (3600mm) Heritage (3600mm)	B#) Frames (FR) - (Oven of the content of the conte	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Super Wh (Vinyl Backer routed windows Clear Glast Opaque White Super Wh (Vinyl Backer routed windows Painted to match do Brushed Aluminium Brushed Aluminium Capping Mould Bullnose (3600mm) Heritage (3600mm) Opantal Base (2400mm) Dental Base (2400mm) Opantal B	B#) Frames (FR) - (Oven of the content of the conte	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Super Wh (Vinyl Backer routed windows Clear Glast Opaque White Super Wh (Vinyl Backer routed windows Painted to match do Brushed Aluminium Brushed Aluminium Capping Mould Bullnose (3600mm) Heritage (3600mm) Opantal Base (2400mm) Dental Base (2400mm) Opantal B	B#) Frames (FR) - (Oven of the control of the contr	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Super Wh (Vinyl Backer routed windows Clear Glast Opaque White Super Wh (Vinyl Backer routed windows Super Wh (Vinyl Backer routed windows Brushed Aluminium Brushed Aluminium Brushed Aluminium Capping Mould Bullnose (3600mm) Heritage (3600mm) Colonial (3600mm) Dental Base (2400mm) Colonial (3600mm) Dental Base (2400mm) Special In Quantity Special In Colonial (3600mm)	B#) Frames (FR) - (Oven of the control of the contr	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes
Please Fit: No Glass Clear Glast Opaque White Single GB 4 GB 6 Super White Super	B#) Frames (FR) - (Oven of the control of the contr	Outside Height (mm) (2) Outside Width (mm) (4) Bottom Rail Height (mm) (5) Left Rail Width (mm) (6) Right Rail Width (mm) Cut to following sizes